

LAROQ

PERFORMANCE & FITNESS

NC11 HIPS



THE KEY POINTS OF TANNAC RANGE



DURABILITY

Mechano-welded frame with 3,2 mm tubes, steel rear stack guard, hauling straps at very high strength. TANNAC machines are designed for intensive use.



STRENGTH

TANNAC machines, like all our ranges, are the result of our knowledge developed in high performance sport. They respond to high requirements in terms of biomechanics. Loads are adjustable to match the most demanding user's needs.



CHOICE

Optional frame colour (grey as standard), upholstery (standard black), logo embroidery are available

KEY POINTS

NC11 – HIPS

ADJUSTABLE LEG PAD

NC11 is equipped a leg pad that can be adjusted to all body sizes and different types of exercises, while providing maximum comfort



GRIP HANDLE

The grip bar provides stability to the user while he's performing the exercise. Thanks to its ergonomic shape, the bar allows a practical and reliable grip to train in a good posture.



FOOT RESTS

The non-skid footrest provides safety to the user. This material offers total grip, allowing maximum focus on the movement in complete serenity.




TECHNICAL DATA

| CHARACTERISTICS | DESCRIPTION |
|-------------------|--|
| Length | 95 cm |
| Width | 155 cm |
| Height | 155 cm |
| Weight | 220 kg |
| Standard load | 60 kg |
| Maxi. load | 120 kg |
| Maxi user weight | 150 kg |
| Frame | Tubes acier ovalisés 3,5mm/moyenne |
| Stack guard | Arrière |
| Load transmission | High resistance belting (4,5 tonnes) |
| Warranty | 5 years on metal frame (excl. paint, upholstery and parts subject to wear) |

| STANDARD FRAME COLOUR | OPTIONAL FRAME COLOUR |
|---|--|
|  |  |

DESCRIPTION DÉTAILLÉE



KNOW-HOW



WELDING

At the forefront of technology, we have a semi-automatic eight-axis welding robot. Its size and quality allow us to assemble all the sub-assemblies of the machines and ensure real quality.

The more specific parts are welded by an experienced team and then individually controlled.



PAINT

During the painting phase, our painters follow three key steps. Initially, they clean the parts apply a layer of antirust and protection. Then, paint is added by this process offers outstanding aesthetic quality as well as mechanical resistance electrostatic powdering.



ENVIRONMENTAL PROTECTION

We use recyclable 90% products. Our chassis are made of 100% steel and delivered by Austrian suppliers WUPPERMANN which guarantees character “infinitely recyclable of its steels” by encouraging the use of steel from the electrical industry to reduce its carbon footprint.



EN957 STANDARDS

All LAROQ machines are designed and manufactured according to the EN957 standards. They have been approved by an independent organization, COFRAC accredited. Tests are performed in the most demanding conditions (maximum displacement area, maximum stress, stability)

LAROQ

PERFORMANCE & FITNESS

WWW.LAROQ.COM

ZONE INDUSTRIELLE DU GRAND PONT
13640 LA ROQUE D'ANTHÉRON
FRANCE

+33(0)4 42 28 48 20

COMMERCIAL@FIZFAB.COM

MULTIform'

